

## NOTICE TO BIDDERS

Notice is hereby given that sealed Bids are sought and requested by the **Wayne County Water & Sewer Authority**, Walworth, New York 14568 for Commonly Used Water Service, Water Main Repair and Maintenance, Meter Setting, and Sewer Materials.

A complete Bid Package may be viewed, downloaded and printed at no cost from the Authority web site, [www.wcwsa.org](http://www.wcwsa.org) after noon, Monday, July 8, 2024. Printed copies may also be obtained for a non-refundable fee of \$20.00 at the Office of the Wayne County Water & Sewer Authority. You may call Procurement Contact Peter DiBenedetto at 315-986-1929, make a request by FAX at 315-986-1687 or by email to [pdibenedetto@wcwsa.org](mailto:pdibenedetto@wcwsa.org) to request a printed copy be mailed to you upon receipt by the Authority of a check payable to the Wayne County Water & Sewer Authority for a non-refundable fee of \$20.00.

The Wayne County Water & Sewer Authority requests that all bids be presented in a plain sealed envelope marked **SEALED BID / Commonly Used Materials July 2024**. A Non-Collusive Bidding Certificate and an Affirmation of Understanding of Agreement / Certificate of Compliance for Procurement of Services are required.

Questions are to be directed in writing to the **Procurement Contact, Peter DiBenedetto** by Fax at 315-986-1687 or E-mail to [pdibenedetto@wcwsa.org](mailto:pdibenedetto@wcwsa.org) no later than Monday, July 15, 2024 at 4:00 p.m. Eastern Time.

**If you want to be considered as a bidder and receive any addendum in a timely manner, you must register your organization with the Wayne County Water & Sewer Authority on its web site, [www.wcwsa.org/bids/](http://www.wcwsa.org/bids/).**

Bids are to be received no later than **Monday, July 22, 2024 at 1:00 p.m. Eastern Time** at the Wayne County Water & Sewer Authority office located at 3377 Daansen Road, Walworth, NY at which time they will be publicly opened and read.

The Wayne County Water & Sewer Authority Board reserves the right to reject any and all bids or to accept the bid it considers in the best interest of the Wayne County Water & Sewer Authority. All questions should be directed to Peter DiBenedetto at the Authority office.

*BY DIRECTION OF THE WAYNE COUNTY WATER & SEWER AUTHORITY BOARD OF DIRECTORS*

(This page intentionally left blank.)

WAYNE COUNTY WATER AND SEWER AUTHORITY  
3377 Daansen Road  
Walworth, New York 14568

Designated Procurement Contact:  
Peter DiBenedetto

Phone 315-986-1929 / Fax 315-986-1687  
Email [pdibenedetto@wcwsa.org](mailto:pdibenedetto@wcwsa.org)

## BID SPECIFICATIONS

Commonly Used Water Service, Water Main Repair and  
Maintenance, Meter Setting, and Sewer Materials.

WAYNE COUNTY WATER AND SEWER AUTHORITY  
3377 Daansen Road, Walworth, New York 14568

**BID SPECIFICATIONS FOR COMMONLY USED WATER SERVICE, WATER MAIN REPAIR AND MAINTENANCE, METER SETTING MATERIALS AND SEWER PARTS.**

The Wayne County Water and Sewer Authority (The Authority) hereby requests written bids for Commonly Used Water Service, Water Main Repair and Maintenance, Meter Setting, and Sewer Materials which shall meet the minimum requirements as described within the following pages.

**GENERAL PROVISIONS**

*Pursuant to the State Finance Law sections 139-j and 139-k, this Invitation for Bid includes and imposes certain restrictions on communications between the Authority and an Offerer/Bidder during the procurement process. An Offerer/Bidder is restricted from making contacts from the earliest notice of intent to solicit Invitation for Bid through the final award and approval of Procurement Contract by the Authority to other than the Authorities Designated Contact Person unless it is a contact this is among certain statutory exceptions set forth in State Finance Law section 139-j(3)(a). The Authorities Designated Contact Person for the Governmental Procurement, as of the date hereof is Peter DiBenedetto and is identified on the first page of these Bid Specifications. Authority employees are also required to obtain certain information when contacted during the restricted period and make a determination of the responsibility of the Offerer/Bidder pursuant to these two statutes. Certain findings of non-responsibility can result in rejection for contract award and in the event of two findings within a four year period the Offerer / Bidder is debarred from obtaining governmental Procurement Contracts. **Further information about these requirements must be obtained from Peter DiBenedetto, the Designated Contact Person.***

The Authority requires that each bid submitted shall show the gross selling price, excluding Federal Excise and Sales Tax for Commonly Used Water Service, Water Main Repair and Maintenance, Meter Setting, and Sewer Materials.

Each bidder is required to review the specifications as published and complete the bid package as requested. Common Water Service, Water Main Repair and Maintenance, Meter Setting, and Sewer Materials may have similar specifications and may meet or exceed each other within individual categories as listed in these specifications. The bidder shall list on the bid proposal form any deviations, exceptions or variations to the conditions and specifications of this bid in sufficient detail to allow the Authority to compare and evaluate said exceptions.

All bids shall be submitted on the attached Bid Proposal Form, with all blanks fully and clearly filled in. No other form of bid will be considered.

Prices and information required by the proposal shall be typed or written in ink, all signatures shall be in ink, and bids submitted in pencil may be rejected. The Authority Board shall interpret or reject illegible or vague bids and the Board's decision shall be final.

Each bid will be received with the understanding that the acceptance thereof in writing by the Board of Directors, to furnish any or all of the items described therein, shall constitute a contract between the bidder and the Authority.

It is mutually understood and agreed that the bidder shall not assign, transfer, convey, sublet or otherwise dispose of the contract or of his right, title or interest therein, or his power to execute such contract to any other person, company or corporation without the previous consent, in writing, of the Board of Directors.

The bidder acknowledges that he is familiar with Article 5-A of the General Municipal Law (Public Contracts) and agrees to be bound by and to comply with the provisions thereof.

**Questions are to be directed in writing to the Procurement Contact, Peter DiBenedetto, by Fax at 315-986-1687 or E-mail to [pdibenedetto@wcwsa.org](mailto:pdibenedetto@wcwsa.org) no later than Monday, July 15, 2024 at 4:00 p.m. Eastern Time.**

**Any materials to be considered “as equal” should be submitted in writing, accompanied by printed specification sheets, to the Procurement Contact, Peter DiBenedetto, by Fax at 315-986-1687 or E-mail to [pdibenedetto@wcwsa.org](mailto:pdibenedetto@wcwsa.org) no later than Monday, July 15, 2024 at 4:00:00 p.m. Eastern Time.**

**Bidders must submit with their bid the latest printed specification sheet and advertising literature relevant to every item bid.** The data provided shall enable the Director of Operations, Executive Director and Board of Directors the opportunity to determine whether the equipment bid complies with the intent of the specifications as set forth by the Board.

**NOTE: This bid includes some items that must be certified AIS compliant with the capability of being certified for a specific project IF NEEDED (see additional information in the Bid Proposal Form below.)**

Bidder declares that the bid is made without any connection with any other bidder submitting a bid for the same item and is in all respects fair and without collusion or fraud. A signed Non-Collusive Bidding Certificate, a Bidders Affirmation of Understanding and Agreement/Certification of Compliance and an Offer of Disclosure of Prior Non-Responsibility Determinations are all required with the bid submission. Copies of all of these forms are attached.

Bidders are cautioned to verify their bids before submission. Bids, amendments or requests for withdrawal of submitted bids received by the Authority after the time specified for opening will not be considered.

All bids must be placed in a sealed envelope, addressed to the Wayne County Water and Sewer Authority located at 3377 Daansen Road, Walworth, New York 14568. The envelope shall be marked ‘SEALED BID / Commonly Used Materials July 2024.’ **All bids must be received by 1:00 p.m. on Monday July 22, 2024** at which time they will be publicly opened and read at the Authority Operations Center at 3377 Daansen Road, Walworth, New York 14568.

**This is not a line-item bid.** Awards will be made to the lowest responsible bidder for **each category, based on the total of UNIT PRICES** as shown on the Bid Proposal Form. **It isn't required to bid on every category, but for every category that IS bid, there must be a price for every item in that category.** Partial category submission will be considered a NO BID. Awards will be made as will best promote the public interest, taking into consideration the reliability of the bidder, the quality of the materials, equipment or supplies to be furnished, their conformity with specifications, the purpose for which required, terms of the delivery and availability of parts "in stock."

The decision with respect to the submitted bids will be made at the Board's discretion and all bids submitted shall be kept firm and in full force and effect until such date or until a decision is made by the Authority Board of Directors.

The Authority shall reserve the right to waive any informalities or to reject any or all bids and have the ability to award to other than the low bidder based on compliance with this specification.

**TIME FRAME:** The Authority is seeking prices for a partial-year contract, expiring December 31, 2024. It is the intent of this bid to provide the Authority with organized procurement of common materials used over this period. The Authority has made the best reasonable effort to estimate its use of these materials, but may exceed the number specified or fail to purchase the number of items specified. All material will be ordered on an as-needed basis.

All prices shall include delivery to the Authority's Daansen Road, Walworth, location, without addition of a fuel surcharge. **Products that will require a lead time in excess of two weeks must be noted in the exceptions, with the anticipated lead time.**

A request for price change shall be considered by the Authority upon written notice from the manufacturer and the winning bidder, such written notice to be received by the Authority at least 45 days prior to the anticipated price change (the "Price Change Request".) If the Price Change Request is approved by the Authority, it will take effect at that time for future orders by the Authority and not retroactively. The Price Change Request shall not be greater than the increased costs incurred by the manufacturer, and in no event shall the Price Change Request be greater than five (5) percent of the contract price.

In the event that any of the materials, equipment or supplies become unavailable to the winning bidder of that material during the period specified in the bid, due to product unavailability or discontinuation by the manufacturer, the winning bidder shall submit specifications of potential alternate materials, equipment or supplies. If the newly submitted specifications are not acceptable to the Authority, the Authority may then award the bid for that material to the next lowest responsible bidder who can supply an acceptable product at their bid price.

## July 2024 Commonly Used Materials Bid Proposal Form

Quantities listed are an **estimate** of what the Authority might use for six months based on our usage history. The Authority has made the best reasonable effort to estimate its use of these materials, but may exceed the number specified or fail to purchase the number of items specified. All material will be ordered on an as-needed basis.

All prices shall include timely delivery to the Authority's Daansen Road, Walworth location without the addition of a fuel surcharge. **Products that will require a lead time in excess of two weeks must be noted in the exceptions, with the anticipated lead time.**

**Fill Bid Proposal Form with UNIT PRICES ONLY – do not calculate an extended cost**

Item Description	Qty /	Unit	UNIT PRICE
<b>Category: Stainless Tapping Saddles</b>			
Smith-Blair (372) All Stainless OR Cascade (CSC2) With CC (AWWA) Thread. Saddle must have rubber blanket; no O-rings or Donuts			
6" x 3/4" for PVC/DIP	5	ea	_____
6" x 1" for PVC/DIP	5	ea	_____
8" x 3/4" for PVC/DIP	5	ea	_____
8" x 1" for PVC/DIP	25	ea	_____
8" x 1" for Transite	5	ea	_____
10" x 1" for PVC/DIP	5	ea	_____
10" x 1" for Transite	3	ea	_____
12" x 1" for PVC/DIP	5	ea	_____
12" x 1" for Transite	3	ea	_____
<b>Total of Unit Prices for Category: Tapping Saddles</b>			_____
<b>Pricing Expiration Date if before 012/31/2024:</b>			

<b>Category: Stainless Multi-Range Tapping Saddles</b>			
Cascade (CS22) With CC (AWWA) Thread. Saddle must have rubber blanket; no O-rings or Donuts			
6" x 2" for PVC/DIP/Transite (6.43 - 7.73)	2	ea	_____
8" x 2" for PVC/DIP/Transite (8.52 – 9.82)	6	ea	_____
10" x 2" for PVC/DIP/Transite (10.65 – 11.95)	2	ea	_____
12" x 2" for PVC/DIP/Transite	6	ea	_____
2" x 3/4" CC Bushing, lead free	2	ea	_____
2" x 1" CC Bushing, lead free	6	ea	_____
2" x 1-1/2" CC Bushing, lead free	2	ea	_____
<b>Total of Unit Prices for Category: Multi-Range Tapping Saddles</b>			_____
<b>Pricing Expiration Date if before 012/31/2024:</b>			

**Category: Curb Boxes and Parts**

Service box design will be Erie/arch style, w/1" upper section, 2-hole lid and supplied w/1/2"x30" SS S-rod. Curb Boxes to be Ford (EA1-50-40-30R-SS), Mueller, A.Y. McDonald, Bingham & Taylor or equal.

Curb Boxes, 4' to 5' bury depth range and supplied with 1/2" x 29"/30" SS S-rod	50	ea	_____
Curb Box Base (for 1-1/2" and 2" curb stops)	12	ea	_____
2-hole lid, Ford (HS-LID) or equal	25	ea	_____
1/2" diameter x 29"/30" SS curb box rod, Ford (ROD-30-SS) or equal	10	ea	_____

**Total of Unit Prices for Category: Curb Boxes and Parts**

**Pricing Expiration Date if before 012/31/2024:**

**Category: Water Service Tubing Copper Tube Size (CTS) – 100 foot rolls**

*Price to nearest whole cent*

1" x 100 ft - 200 psi Poly water tubing - PE3408/PE3608 <b>Price per Foot</b>	1500	ft	_____
1-1/2" x 100 ft - 200 psi Poly water tubing - PE3408/PE3608 <b>Price per Foot</b>	300	ft	_____
2" x 100 ft - 200 psi Poly water tubing - PE3408/PE3608 <b>Price per Foot</b>	500	ft	_____

**Total of Unit Prices for Category: Water Service Tubing**

**Pricing Expiration Date if before 012/31/2024:**

**Category: Water Main Repair Bands**

Note: Must have all Stainless Steel components

Smith-Blair (261) OR Ford (FS1 Style) OR Cascade (CR1): 12" and under.

Smith-Blair (262) OR Ford (FS2 Style) OR Cascade (CR2): over 12".

6" x 12" for PVC/DIP	4	ea	_____
6" x 15" or 16" for PVC/DIP	3	ea	_____
6" x 20" for PVC/DIP	3	ea	_____
6" x 15" or 16" for Transite	3	ea	_____
6" x 20" for Transite	3	ea	_____
8" x 12" for PVC/DIP	4	ea	_____
8" x 15" or 16" for PVC/DIP	4	ea	_____
8" x 20" for PVC/DIP	4	ea	_____
8" x 12" for Transite	3	ea	_____
8" x 15" or 16" for Transite	4	ea	_____
8" x 20" for Transite	2	ea	_____
10" x 20" for PVC/DIP	4	ea	_____

BPF 2 – Category continued on next page



10" x 15" or 16" for Transite	3 ea	_____
10" x 20" for Transite	3 ea	_____
12" x 15" or 16" for PVC/DIP	3 ea	_____
12" x 20" for PVC/DIP	3 ea	_____
12" x 24" for PVC/DIP	3 ea	_____
12" x 15" or 16" for Transite	2 ea	_____
12" x 20" for Transite	2 ea	_____
12" x 24" for Transite	2 ea	_____
16" x 20" for PVC/DIP	2 ea	_____
16" x 24" for PVC/DIP	2 ea	_____

**Total of Unit Prices for Category: Water Main Repair Bands**

**Pricing Expiration Date if before 012/31/2024:**

**Category: Water Main Repair Couplings**

Hymax 2 or Smith-Blair 421 Top Bolt Wide Range Steel Coupling

Repair coupling for 6" (6.42 – 7.68 OD range or similar)	4 ea	_____
Repair coupling for 8" (8.54 – 9.84 OD range or similar)	10 ea	_____
Repair coupling for 10" (10.70 – 12.00 OD range or similar)	3 ea	_____
Repair coupling for 10" (10.96 – 12.26 OD range or similar)	3 ea	_____
Repair coupling for 12" (12.40 – 13.66 OD range or similar)	5 ea	_____
Repair coupling for 12" (13.15 – 14.41 OD range or similar)	5 ea	_____
Repair coupling for 16" PVC/DIP (17.10" – 19.20" OD range or similar)	2 ea	_____

**Total of Unit Prices for Category: Water Main Repair Couplings**

**Pricing Expiration Date if before 012/31/2024:**

**Category: Valve Boxes and Parts**

**Valve Boxes and Parts must be certified AIS compliant with the capability of being certified for a specific project IF NEEDED (see below.)**

Trumbull, Bingham & Taylor, EJ USA OR approved equal:

Rite-Hite Slide-type 5-1/4" Paving Adapter	10 ea	_____
Rite-Hite Screw-type 5-1/4" Paving Adapter	10 ea	_____

Bingham & Taylor, EJ USA or an equivalent or equal product. Valve box covers shall be marked "WATER" and not exceed a weight of 13 pounds:

5-1/4" 2-piece Screw Type Valve Box Complete, 38" to 60" with Lid; Min. total weight 100 lbs	10 ea	_____
--	-------	-------

5-1/4" x 10" Screw-Type Valve Box Top Section	5	ea	_____
5-1/4" x 17" Screw-Type Valve Box Top Section	5	ea	_____
5-1/4" x 26" Screw-Type Valve Box Top Section	12	ea	_____
5-1/4" x 1" Riser less Lid	6	ea	_____
5-1/4" x 2" Riser less Lid	10	ea	_____
5-1/4" x 4" Riser less Lid	12	ea	_____
5-1/4" x 6" Riser less Lid	5	ea	_____
5-1/4" Valve Box Lid "WATER"	10	ea	_____

**Total of Unit Prices for Category: Valve Box Parts**

<b>Pricing Expiration Date if before 012/31/2024:</b>
---

**Category: Hydrants**

Hydrant units to include the bottom elbow, standpipe or lower barrel and hydrant unit (upper barrel and nozzle section) with all operating equipment. **The Hydrant Unit needs to conform to all other standards outlined in the Wayne County Water & Sewer Authority Standards and Specifications AND must be certified AIS compliant, with the capability of being certified for a specific project IF NEEDED (see below.)** Acceptable manufacturers/models are Kennedy K81D, AVK Nostalgic, Mueller Centurion.

Hydrant unit: Wayne County Water & Sewer Authority color scheme of John Deere Yellow barrels with Ford Blue bonnet and nozzle caps – 5 foot bury depth.	3	ea	_____
Hydrant Unit: LYONS, NY Threads; Hydrant unit painted RED – 5 foot bury depth	3	ea	_____
Hydrant unit: Wayne County Water & Sewer Authority color scheme of John Deere Yellow barrels with Ford Blue bonnet and nozzle caps – 5-1/2 foot bury depth.	3	ea	_____
Hydrant Unit: LYONS, NY Threads; Hydrant unit painted RED – 5-1/2 foot bury depth	3	ea	_____
Hydrant unit: Wayne County Water & Sewer Authority color scheme of John Deere Yellow barrels with Ford Blue bonnet and nozzle caps – 6 foot bury depth.	3	ea	_____
Hydrant unit: Wayne County Water & Sewer Authority color scheme of John Deere Yellow barrels with Ford Blue bonnet and nozzle caps – 6-1/2 foot bury depth.	3	ea	_____
Hydrant unit: Wayne County Water & Sewer Authority color scheme of John Deere Yellow barrels with Ford Blue bonnet and nozzle caps – 7 foot bury depth.	3	ea	_____
Hydrant unit: Wayne County Water & Sewer Authority color scheme of John Deere Yellow barrels with Ford Blue bonnet and nozzle caps – 7-1/2 foot bury depth.	3	ea	_____
Hydrant unit: Wayne County Water & Sewer Authority color scheme of John Deere Yellow barrels with Ford Blue bonnet and nozzle caps – 8 foot bury depth.	3	ea	_____

**Total of Unit Prices for Category: Hydrants**

<b>Pricing Expiration Date if before 012/31/2024:</b>
---

**Category: Fiberglass Hydrant Markers**

Fiberglass Hydrant Markers: Pultrusion white fiberglass with UV protection, blue reflective banding, 304 Stainless steel springs, Hy-Viz or equal

Fiberglass Hydrant Markers – 5 ft x 3/8" with zinc bolt mount hardware	200	ea	
Fiberglass Hydrant Markers – 5 ft x 3/8" with stainless side port offset mount	50	ea	
Fiberglass Hydrant Markers – 6 ft x 3/8" with zinc bolt mount hardware	25	ea	

**Total of Unit Prices for Category: Fiberglass Hydrant Markers**

**Pricing Expiration Date if before 012/31/2024:**

**Category: Meter Setting Brass**

All items bid must be Lead Free and comply with NSF/ANSI 372 standards and this certification must be supplied in/along with the submitted Manufacturers Specification Sheets.

Angle meter valves shall be Compression inlet by Meter Swivel Nut outlet; Mueller, A.Y. McDonald or Ford Q Series

Dual Check valves shall be canister type, Meter Swivel Nut Inlet by Male NPT outlet, AY McDonald 7311x3JM 43, 711-4JM 54, or equivalent (**Zurn Dual Check Valve not accepted**)

Pressure Reducing Valves should have an operating range of 20 psi to 80 psi and be Double Union, or FNPT inlet to union outlet, Wilkins Model 70 or approved Mueller or Watts equal

1" x 3/4" Quick compression x Meter Swivel Nut - Angle Meter Plug Valve	50	ea	
1" x 1" Quick compression x Meter Swivel Nut - Angle Meter Plug Valve	10	ea	
3/4" Meter Swivel Nut x MIP - Dual Check Valve [ <b>Zurn DCV not accepted</b> ]	50	ea	
1" Meter Swivel Nut x MIP Dual Check Valve [ <b>Zurn DCV not accepted</b> ]	10	ea	
3/4" FIP x FIP Union - Pressure Reducing Valve	50	ea	
1" FIP x FIP Union - Pressure Reducing Valve	10	ea	
5/8" x 3/4" to 1" Meter Adapter – Ford A24-NL or equal	6	ea	
1" to 1-1/2" Flanged Meter Adapter – Ford A46-NL or equal	6	ea	
1" to 2" Flanged Meter Adapter – Ford A47-NL or equal	6	ea	
1-1/2" to 2" Flanged Meter Adapter – Ford A67-NL or equal	3	ea	

**Total of Unit Prices for Category: Meter Setting Brass**

**Pricing Expiration Date if before 012/31/2024:**

**Category: Water Service Brass**

All items bid must be Lead Free and comply with NSF/ANSI 372 standards and this certification must be supplied in/along with the submitted Manufacturers Specification Sheets.

Corporations to be plug valve type, unless otherwise noted with AWWA Taper / CC Thread inlet and CTS compression outlet; Ford F1000-\*-NL / FB1000-\*-NL Q Series, AY McDonald 74701Q / 74701BQ Series, Mueller H-15008N / P-25008N

Curb Stops shall be Mueller B-25209N or Ford B44-\*\*\*-Q-NL Series, CTS Compression both ends

Compression Fittings shall be CTS Compression both ends; Mueller, A.Y. McDonald Q Series or Ford Q Series

1" CC x Quick Plug Style Corporation	50	ea	_____
1-1/2" CC x Quick Ball Style Corporation	5	ea	_____
2" CC x Quick Ball Style Corporation	5	ea	_____
3/4" CTS Compression Ball Style Curb Stop	10	ea	_____
1" CTS Compression Ball Style Curb Stop	50	ea	_____
1-1/2" CTS Compression Ball Style Curb Stop	5	ea	_____
2" CTS Compression Ball Style Curb Stop	5	ea	_____
3/4" x 3/4" CTS Compression Coupling	10	ea	_____
1" x 1" CTS Compression Coupling	15	ea	_____
1" 90° CTS Compression Elbow	10	ea	_____
1" x 3/4" CTS Compression Coupling	15	ea	_____
1" x 1" 90° CTS Compression x MIP Elbow	10	ea	_____
1" x 3/4" 90° CTS Compression x MIP Elbow	10	ea	_____
5/8" XS Lead Flange Swivel Nut x 3/4" FIP Adapter - Ford LFSC-2-NL or equal	6	ea	_____
3/4" XS Lead Flange Swivel Nut x 3/4" FIP Adapter - Ford LFSC-3-NL or equal	6	ea	_____
1" XS Lead Flange Swivel Nut x 1" FIP Adapter - Ford LFSC-4-NL or equal	6	ea	_____
1" CTS SS Insert	200	ea	_____
1-1/2" CTS SS Insert	20	ea	_____
2" CTS SS Insert	20	ea	_____

**Total of Unit Prices for Category: Water Service Brass**

<b>Pricing Expiration Date if before 012/31/2024:</b>
---

**Category: C-509 Valves**

All Resilient Wedge Gate valves and tapping valves shall conform to AWWA Specification C-509 latest revision and shall have non-rising stems, "O" ring packing and shall open left. All valves shall have mechanical joint ends. Valves shall be Clow, Mueller, or Kennedy, or equal with stainless steel bonnet bolts. **Valves must be certified AIS compliant, with the capability of being certified for a specific project IF NEEDED (see below.)**

6" C-509	5	ea	_____
8" C-509	5	ea	_____
10" C-509	3	ea	_____
12" C-509	3	ea	_____

**Total of Unit Prices for Category: C-509 Valves**

<b>Pricing Expiration Date if before 012/31/2024:</b>
---

**Category: C-515 Valves**

All Resilient Wedge Gate valves and tapping valves shall conform to AWWA Specification C-515 latest revision and shall have non-rising stems, "O" ring packing and shall open left. All valves shall have mechanical joint ends. Valves shall be Clow, Mueller, Kennedy, or AFC or equal with stainless steel bonnet bolts. **Valves must be certified AIS compliant, with the capability of being certified for a specific project IF NEEDED (see below.)**

6" C-515	5 ea	_____
8" C-515	5 ea	_____
10" C-515	3 ea	_____
12" C-515	3 ea	=====

**Total of Unit Prices for Category: C-515 Valves**

--

<b>Pricing Expiration Date if before 012/31/2024:</b>
---

**Category: Sewer Parts**

Pipe and fittings shall be made of PVC compound meeting ASTM D1784. Fittings shall conform to the requirements of SDR 21. Fittings shall be gasketed joint, with gaskets conforming to ASTM F477. These are for gravity installations only.

4" SDR 21 11° Bend, Gasket/Gasket connections	6 ea	_____
4" SDR 21 11° Bend, Gasket/Spigot connections	6 ea	_____
4" SDR 21 22° Bend, Gasket/Gasket connections	6 ea	_____
4" SDR 21 22° Bend, Gasket/Spigot connections	6 ea	_____
4" SDR 21 45° Bend, Gasket/Gasket connections	6 ea	_____
4" SDR 21 45° Bend, Gasket/Spigot connections	6 ea	_____
4" SDR 21 Wye, Gasket connections	6 ea	_____
4" Sewer Saddle, Fernco Flexible Wye Tap Saddle	6 ea	_____
4" Cast Iron MIP Screw-in Cleanout Plug	6 ea	_____
4" Sch 40 DWV Cleanout Adapter Hub x FIP	6 ea	_____
4" PVC to 4" PVC Fernco Coupling	6 ea	_____
4" Clay to 4" PVC Fernco Coupling	6 ea	_____
4" Clay to 4" PVC Eccentric Fernco Coupling	6 ea	_____
6" SDR 21 11° Bend, Gasket/Gasket connections	6 ea	_____
6" SDR 21 11° Bend, Gasket/Spigot connections	6 ea	_____
6" SDR 21 22° Bend, Gasket/Gasket connections	6 ea	_____
6" SDR 21 22° Bend, Gasket/Spigot connections	6 ea	_____
6" SDR 21 45° Bend, Gasket/Gasket connections	6 ea	_____

BFP 7 – Category continued on next page

_____
-------

6" SDR 21 45° Bend, Gasket/Spigot connections	6	ea	_____
6" SDR 21 Wye, Gasket connections	6	ea	_____
6" Sewer Saddle, Fernco Flexible Wye Tap Saddle	6	ea	_____
6" Cast Iron MIP Screw-in Cleanout Plug	6	ea	_____
6" Sch 40 DWV Cleanout Adapter Hub x FIP	6	ea	_____
6" PVC to 6" PVC Fernco Coupling	6	ea	_____
6" Clay to 6" PVC Fernco Coupling	6	ea	_____
6" Clay to 6" PVC Eccentric Fernco Coupling	6	ea	_____
6" Clay to 4" PVC Eccentric Fernco Coupling	6	ea	_____
6" PVC to 4" PVC Eccentric Fernco Coupling	6	ea	=====

**Total of Unit Prices for Category: Sewer Parts**

<b>Pricing Expiration Date if before 012/31/2024:</b>
---

**Category: Manhole Risers and Reversible Casting**

**Adjustable Steel Manhole Risers** shall be made of domestic carbon steel conforming to the minimum requirements of ASTM A36. The bottom (inner) ring shall be rolled from 3/4" thick material. The top (outer) ring shall be rolled from 1/2" thick material. The inner & outer ring shall be concentric and be joined together by welding. The mechanical adjustment stud shall be made of type 304 stainless steel, and have a positive lock nut. After fabrication, all risers shall be coated with either water based bituminous asphalt paint or BASF E-Coat with charcoal black topcoat. The risers shall have three (3) 1" cone tip set screws, to affix to existing material and to prevent movement or "rocking" caused by traffic. **Adjustable Manhole Risers must be certified AIS compliant, with the capability of being certified for a specific project IF NEEDED (see below.)**

**Reversible Casting** shall be made of cast iron and meet or exceed materials specification AASHTO M306. The cover shall have closed pick holes to help with undesired water infiltration. **Reversible Frame & Cover Castings must be certified AIS compliant, with the capability of being certified for a specific project IF NEEDED (see below.)**

24" x 1-1/2" x 1" Adjustable Steel Riser with Set Screws (EJ USA 1120H, or Approved Equal)	12	ea	_____
24" x 1-1/2" x 2" Adjustable Steel Riser with Set Screws (EJ USA 1120H, or Approved Equal)	12	ea	_____
23-3/4" x 1-1/2 x 1" Adjustable Steel Riser with Set Screws (EJ USA V1345, or Approved Equal)	12	ea	_____
23-3/4" x 1-1/2 x 2" Adjustable Steel Riser with Set Screws (EJ USA V1345, or Approved Equal)	12	ea	_____
23-1/2" x 1-1/2 x 1" Adjustable Steel Riser with Set Screws (EJ USA V1418, or Approved Equal)	12	ea	_____
23-1/2" x 1-1/2 x 2" Adjustable Steel Riser with Set Screws (EJ USA V418, or Approved Equal)	12	ea	_____
24" Reversible Manhole Frame with Plain Cover [to fit 24" SICPP N12] - EJ USA V1610-4RG + V1610-4CV Assembly, or Approved Equal	12	ea	=====

**Total of Unit Prices for Category: Manhole Adjustable Risers and Castings**

<b>Pricing Expiration Date if before 012/31/2024:</b>
---

BPF 8

**ALL UNIT PRICES MUST BE BID TO THE NEAREST WHOLE CENT**



**\*\*AIS Compliant:**

**EXAMPLE OF A MANUFACTURER'S CERTIFICATION LETTER OF COMPLIANCE WITH PROVISIONS OF THE AMERICAN IRON AND STEEL (AIS) REQUIREMENTS OF SECTION 746 OF TITLE VII OF THE CONSOLIDATED APPROPRIATIONS ACT OF 2017 (DIVISION A - AGRICULTURE, RURAL DEVELOPMENT, FOOD AND DRUG ADMINISTRATION, AND RELATED AGENCIES APPROPRIATIONS ACT, 2017) AND SUBSEQUENT STATUTES MANDATING DOMESTIC PREFERENCE**

Date: \_\_\_\_\_

Company Name: \_\_\_\_\_

Company Address: \_\_\_\_\_

Subject: AIS Step Certification for Wayne County Water and Sewer Authority Commonly Used Materials

I, (company representative), certify that the (melting, bending, galvanizing, cutting, etc.) processes for (manufacturing or fabricating) the following products and/or material shipped or provided for the subject project is in full compliance with the AIS requirement as mandated by Section 746 of Title VII of the Consolidated Appropriations Act of 2017 (Division A - Agriculture, Rural Development, Food and Drug Administration, and Related Agencies Appropriations Act, 2017) and subsequent statutes mandating domestic preference.

Item, Products and/or Materials, and location of delivery (City, State):

- 1.
- 2.

Such processes for AIS took place at the following location:

(City, State) \_\_\_\_\_

This certification is to be submitted with the bid form for each product requiring compliance with the AIS requirement



**WAYNE COUNTY WATER AND SEWER AUTHORITY**

**NON-COLLUSIVE BIDDING CERTIFICATE**

Pursuant to Section 103-d of the General Municipal Law, and Section 139-d of the State Finance Law, I affirm as true and under the penalties of perjury the following statement:

- (a) By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies, as to its own organization, under penalty of perjury, that to the best of knowledge and belief:
  - (1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor.
  - (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and
  - (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

Bidder: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_

**Certificate of Compliance**

**under**

**State Finance Law Sections 139-j and 139-k**

The undersigned, \_\_\_\_\_, being the authorized representative of \_\_\_\_\_, the bidder (“Company”) in connection with the procurement of \_\_\_\_\_ (“Procurement”) issued by the Wayne County Water & Sewer Authority (“Authority”) hereby certifies that:

- (i) The Company is aware of, understands and agrees to comply with the recently enacted prohibitions on procurement lobbying as defined and set forth in the Lobbying Act, as amended by Chapter 1 of the Laws of 1995;
- (ii) Neither the Company, nor any of its officers, directors, employees, or agents, has attempted to influence the Procurement in a manner that would result in a violation of the Public Officers Law and/or the Authority’s Code of Ethics;
- (iii) There have been no findings of non-responsibility against the Company due to violations of the provisions of State Finance Law Section 139-j(3) or otherwise within the previous four years by any governmental entity;
- (iv) All information provided to the Authority by or on behalf of the Company in connection with the Procurement pursuant to State Finance Law Section 139-j and/or Section 139-k or otherwise is complete, true and accurate;
- (v) Neither the Company, nor any of its officers, directors, employees, or agents, has made any inappropriate or illegal contacts with the Authority in connection with the Procurement; and
- (vi) The Company understands and agrees that the Authority reserves the right to cancel any contract resulting from the Procurement in the event this certification is found to be intentionally false or intentionally incomplete.

IN WITNESS WHEREOF, I have hereunto subscribed my name this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_ on behalf of the Company.

Signed: \_\_\_\_\_  
Title

## Offerer Disclosure of Prior Non-Responsibility Determinations

Name of Individual or Entity Seeking to Enter into the Procurement Contract:

\_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Name and Title of Person Submitting this Form: \_\_\_\_\_

\_\_\_\_\_

Contract Procurement Number: \_\_\_\_\_

Date: \_\_\_\_\_

1. Has any Governmental Entity made a finding of non-responsibility regarding the individual or entity seeking to enter into the Procurement Contract in the previous four (4) years? (Please circle):

No

Yes

If yes, please answer the next questions:

2. Was the basis for the finding of non-responsibility due to a violation of State Finance Law §139-j? (Please circle):

No

Yes

3. Was the basis for the finding of non-responsibility due to the intentional provision of false or incomplete information to a Governmental Entity? (Please circle):

No

Yes

4. If you answered yes to any of the above questions, please provide details regarding the finding of non-responsibility below.

Governmental Entity: \_\_\_\_\_

Date of Finding of Non-responsibility: \_\_\_\_\_

Basis of Finding of Non-Responsibility: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

---

---

---

---

---

---

(Add additional pages as necessary)

5. Has any Governmental Entity or other governmental agency terminated or withheld a Procurement Contract with the above-named individual or entity due to the intentional provision of false or incomplete information? (Please circle):

No	Yes
----	-----

6. If yes, please provide details below.

Governmental Entity: \_\_\_\_\_

Date of Termination or Withholding of Contract: \_\_\_\_\_

Basis of Termination or Withholding: \_\_\_\_\_

---

---

---

---

(Add additional pages as necessary)

Offerer certifies that all information provided to the Governmental Entity with respect to State Finance Law §139-k is complete, true and accurate.

By: \_\_\_\_\_ Date: \_\_\_\_\_  
Signature

Name: \_\_\_\_\_ Title: \_\_\_\_\_